

```

FREQUENCIES VARIABLES=Skor_Total
  /PIECHART PERCENT
  /ORDER=ANALYSIS.

```

Frequencies

Notes

Output Created		15-JUN-2019 16:17:08
Comments		
Input	Active Dataset	DataSet0
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	157
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data.
Syntax		FREQUENCIES VARIABLES=Skor_Total /PIECHART PERCENT /ORDER=ANALYSIS.
Resources	Processor Time	00:00:00.62
	Elapsed Time	00:00:00.50

Statistics

Skor_Total

N	Valid	157
	Missing	0

Skor_Total

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	15	1	.6	.6	.6
	34	1	.6	.6	1.3
	43	1	.6	.6	1.9
	50	1	.6	.6	2.5
	51	2	1.3	1.3	3.8
	59	2	1.3	1.3	5.1
	60	2	1.3	1.3	6.4
	62	1	.6	.6	7.0
	63	2	1.3	1.3	8.3
	66	1	.6	.6	8.9
	67	1	.6	.6	9.6
	68	1	.6	.6	10.2
	69	3	1.9	1.9	12.1
	70	1	.6	.6	12.7
	72	2	1.3	1.3	14.0
	73	2	1.3	1.3	15.3
	75	1	.6	.6	15.9
	76	4	2.5	2.5	18.5
	77	4	2.5	2.5	21.0
	79	3	1.9	1.9	22.9
	80	4	2.5	2.5	25.5
	81	4	2.5	2.5	28.0
	82	3	1.9	1.9	29.9
	83	1	.6	.6	30.6
	85	5	3.2	3.2	33.8
	86	7	4.5	4.5	38.2
	87	1	.6	.6	38.9
	88	2	1.3	1.3	40.1
	89	4	2.5	2.5	42.7
	90	3	1.9	1.9	44.6
	93	1	.6	.6	45.2
	94	2	1.3	1.3	46.5
	95	2	1.3	1.3	47.8
96	3	1.9	1.9	49.7	
97	4	2.5	2.5	52.2	

Skor_Total

	Frequency	Percent	Valid Percent	Cumulative Percent
98	6	3.8	3.8	56.1
99	1	.6	.6	56.7
100	4	2.5	2.5	59.2
101	3	1.9	1.9	61.1
102	3	1.9	1.9	63.1
104	2	1.3	1.3	64.3
106	3	1.9	1.9	66.2
107	1	.6	.6	66.9
108	5	3.2	3.2	70.1
109	2	1.3	1.3	71.3
110	1	.6	.6	72.0
111	3	1.9	1.9	73.9
113	2	1.3	1.3	75.2
114	6	3.8	3.8	79.0
115	1	.6	.6	79.6
116	4	2.5	2.5	82.2
120	1	.6	.6	82.8
122	2	1.3	1.3	84.1
123	2	1.3	1.3	85.4
124	1	.6	.6	86.0
125	3	1.9	1.9	87.9
126	2	1.3	1.3	89.2
127	1	.6	.6	89.8
128	1	.6	.6	90.4
129	2	1.3	1.3	91.7
130	2	1.3	1.3	93.0
131	2	1.3	1.3	94.3
133	2	1.3	1.3	95.5
134	2	1.3	1.3	96.8
137	1	.6	.6	97.5
138	1	.6	.6	98.1
140	1	.6	.6	98.7
141	1	.6	.6	99.4
144	1	.6	.6	100.0
Total	157	100.0	100.0	

```

CORRELATIONS
/VARIABLES=Usia Skor_Total
/PRINT=TWOTAIL NOSIG
/MISSING=PAIRWISE.

```

Correlations

Notes

Output Created		15-JUN-2019 17:28:08
Comments		
Input	Active Dataset	DataSet0
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	157
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each pair of variables are based on all the cases with valid data for that pair.
Syntax		CORRELATIONS /VARIABLES=Usia Skor_Total /PRINT=TWOTAIL NOSIG /MISSING=PAIRWISE.
Resources	Processor Time	00:00:00.05
	Elapsed Time	00:00:00.11

Correlations

		Usia	Skor_Total
Usia	Pearson Correlation	1	-.366**
	Sig. (2-tailed)		.000
	N	157	157
Skor_Total	Pearson Correlation	-.366**	1
	Sig. (2-tailed)	.000	
	N	157	157

** . Correlation is significant at the 0.01 level (2-tailed).

*Nonparametric Tests: Independent Samples.
NPTESTS

```

/INDEPENDENT TEST (Skor_Total) GROUP (Usia)
/MISSING SCOPE=ANALYSIS USERMISSING=EXCLUDE
/CRITERIA ALPHA=0.05 CILEVEL=95.

```

Nonparametric Tests

Notes

Output Created		15-JUN-2019 17:31:37
Comments		
Input	Active Dataset	DataSet0
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	157
Syntax	NPTTESTS /INDEPENDENT TEST (Skor_Total) GROUP (Usia) /MISSING SCOPE=ANALYSIS USERMISSING=EXCLUDE /CRITERIA ALPHA=0.05 CILEVEL=95.	
Resources	Processor Time	00:00:00.61
	Elapsed Time	00:00:01.62

Hypothesis Test Summary

	Null Hypothesis	Test	Sig.	Decision
1	The distribution of Skor_Total is the same across categories of Usia.	Independent-Samples Kruskal-Wallis Test	.000	Reject the null hypothesis.

Asymptotic significances are displayed. The significance level is .05.

```

MEANS TABLES=Skor_Total BY Usia
/CELLS=MEAN COUNT STDDEV.

```

Means

Notes

Output Created		15-JUN-2019 17:34:33
Comments		
Input	Active Dataset	DataSet0
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	157
Missing Value Handling	Definition of Missing	For each dependent variable in a table, user-defined missing values for the dependent and all grouping variables are treated as missing.
	Cases Used	Cases used for each table have no missing values in any independent variable, and not all dependent variables have missing values.
Syntax	MEANS TABLES=Skor_Total BY Usia /CELLS=MEAN COUNT STDDEV.	
Resources	Processor Time	00:00:00.02
	Elapsed Time	00:00:00.02

Case Processing Summary

	Cases				
	Included		Excluded		Total
	N	Percent	N	Percent	N
Skor_Total * Usia	157	100.0%	0	0.0%	157

Case Processing Summary

	Cases
	Total
	Percent
Skor_Total * Usia	100.0%

Report

Skor_Total

Usia	Mean	N	Std. Deviation
20-30 Tahun	110.44	27	18.820
30-40 Tahun	103.97	30	22.807
40-50 Tahun	91.19	32	23.360
50-60 Tahun	88.65	68	21.630
Total	95.84	157	23.275

*Nonparametric Tests: Independent Samples.

NPTESTS

```

/INDEPENDENT TEST (Skor_Total) GROUP (Lulusan)
/MISSING SCOPE=ANALYSIS USERMISSING=EXCLUDE
/CRITERIA ALPHA=0.05 CILEVEL=95.

```

Nonparametric Tests

Notes

Output Created		15-JUN-2019 17:36:01
Comments		
Input	Active Dataset	DataSet0
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	157
Syntax	NPTESTS /INDEPENDENT TEST (Skor_Total) GROUP (Lulusan) /MISSING SCOPE=ANALYSIS USERMISSING=EXCLUDE /CRITERIA ALPHA=0.05 CILEVEL=95.	
Resources	Processor Time	00:00:00.20
	Elapsed Time	00:00:00.25

Hypothesis Test Summary

	Null Hypothesis	Test	Sig.	Decision
1	The distribution of Skor_Total is the same across categories of Lulusan.	Independent-Samples Mann-Whitney U Test	.288	Retain the null hypothesis.

Asymptotic significances are displayed. The significance level is .05.

```
*Nonparametric Tests: Independent Samples.
NPTESTS
  /INDEPENDENT TEST (Skor_Total) GROUP (PPK)
  /MISSING SCOPE=ANALYSIS USERMISSING=EXCLUDE
  /CRITERIA ALPHA=0.05 CILEVEL=95.
```

Nonparametric Tests

Notes

Output Created		15-JUN-2019 17:37:27
Comments		
Input	Active Dataset	DataSet0
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	157
Syntax	NPTESTS /INDEPENDENT TEST (Skor_Total) GROUP (PPK) /MISSING SCOPE=ANALYSIS USERMISSING=EXCLUDE /CRITERIA ALPHA=0.05 CILEVEL=95.	
Resources	Processor Time	00:00:00.50
	Elapsed Time	00:00:00.34

Hypothesis Test Summary

	Null Hypothesis	Test	Sig.	Decision
1	The distribution of Skor_Total is the same across categories of PPK.	Independent-Samples Mann-Whitney U Test	.094	Retain the null hypothesis.

Asymptotic significances are displayed. The significance level is .05.

```
MEANS TABLES=Skor_Total BY PPK
/CELLS=MEAN COUNT STDDEV.
```

Means

Notes

Output Created		15-JUN-2019 17:38:09
Comments		
Input	Active Dataset	DataSet0
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	157
Missing Value Handling	Definition of Missing	For each dependent variable in a table, user-defined missing values for the dependent and all grouping variables are treated as missing.
	Cases Used	Cases used for each table have no missing values in any independent variable, and not all dependent variables have missing values.
Syntax		MEANS TABLES=Skor_Total BY PPK /CELLS=MEAN COUNT STDDEV.
Resources	Processor Time	00:00:00.02
	Elapsed Time	00:00:00.02

Case Processing Summary

	Cases				Total N
	Included		Excluded		
	N	Percent	N	Percent	
Skor_Total * PPK	157	100.0%	0	0.0%	157

Case Processing Summary

	Cases	
	Total	Percent
	Skor_Total * PPK	100.0%

Report

Skor_Total

PPK	Mean	N	Std. Deviation
Ya	91.87	63	23.692
Tidak	98.50	94	22.730
Total	95.84	157	23.275

*Nonparametric Tests: Independent Samples.

NPTESTS

/INDEPENDENT TEST (Skor_Total) GROUP (Wilayah)

/MISSING SCOPE=ANALYSIS USERMISSING=EXCLUDE

/CRITERIA ALPHA=0.05 CILEVEL=95.

Nonparametric Tests

Notes

Output Created		15-JUN-2019 17:39:46
Comments		
Input	Active Dataset	DataSet0
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	157
Syntax	NPTESTS /INDEPENDENT TEST (Skor_Total) GROUP (Wilayah) /MISSING SCOPE=ANALYSIS USERMISSING=EXCLUDE /CRITERIA ALPHA=0.05 CILEVEL=95.	
Resources	Processor Time	00:00:00.28
	Elapsed Time	00:00:00.20

Hypothesis Test Summary

	Null Hypothesis	Test	Sig.	Decision
1	The distribution of Skor_Total is the same across categories of Wilayah.	Independent-Samples Kruskal-Wallis Test	.361	Retain the null hypothesis.

Asymptotic significances are displayed. The significance level is .05.

```
SAVE OUTFILE='D:\Data Dede Hermawan\PKMP\LAPORAN PKM\File Data Responden Full PKMP.sav'
/COMPRESSED.
```

```
GET
```

```
FILE='D:\Data Dede Hermawan\PKMP\LAPORAN PKM\File Data Responden Full PKMP.sav'.
DATASET NAME DataSet1 WINDOW=FRONT.
DESCRIPTIVES VARIABLES=Item_9 Item_11 Item_12 Item_14 Item_16 Item_13 Item_15 Item_35 Item_36 I
/STATISTICS=MEAN STDDEV MIN MAX.
```

Notes

Output Created		21-JUN-2019 17:30:23
Comments		
Input	Data	D:\Data Dede Hermawan\PKMP\LAPORAN PKM\File Data Responden Full PKMP.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	157
Missing Value Handling	Definition of Missing	User defined missing values are treated as missing.
	Cases Used	All non-missing data are used.
Syntax		DESCRIPTIVES VARIABLES=Item_9 Item_11 Item_12 Item_14 Item_16 Item_13 Item_15 Item_35 Item_36 Item_8 /STATISTICS=MEAN STDDEV MIN MAX.
Resources	Processor Time	00:00:00.05
	Elapsed Time	00:00:00.21